


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL





ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
				1	PUSHER	4140 Q&T	RBW6205G10151-3G	
				1	THREADED ROD	12L14	RBW6205G10251-3G	
				1	GUIDE	4140 Q&T	RBW6205G10351-3G	
				1	THREADED ROD	12L14	RBW6205G10451-3G	
				1	HAMMER	SP	RBW6205G10551-3G	
				1	STOP	SP	RBW6205G10651-3G	
		B/O	-1	1	CASE	PLASTIC, BLACK	PELICAN #APP-1450-E	N/S
		B/O	-3	1	BOTTOM FOAM	Y20, BLACK	4-5/16 X 10-7/16 X 14-15/16 I.R. SPECIALTIES	2
		B/O	-5	1	LID FOAM	Y20, BLACK	1-13/16 X 10-1/4 X 14-11/16 I.R. SPECIALTIES	3
			-7	1	LOCATION PLACARD	PLASTIC	1/16 X 6 X 6	3

RED BARN MACHINE	
TITLE M/R SCISSORS COUPLING R&R	
DWG NO. RBW6205G08931-3G	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	FRACTIONS ± 1/32
.XXX ± .005	ANGLES ± 5°
.XX ± .01	
.X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:4	DATE 4/25/2012
SHEET 1 OF 4	

DRAWN BY: CLOUGH
APPROVED <i>D Weil</i>
HEAT TREAT
FINISH
SPEC
USED ON MODEL AW139

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-5)
LID FOAM

 RED BARN MACHINE	
TITLE M/R SCISSORS COUPLING R&R	
DWG NO. RBW6205G08931-3G-5	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:3	DATE 4/25/2012
SHEET 3 OF 4	

DRAWN BY: CLOUGH
APPROVED 
HEAT
TREAT
FINISH
SPEC
USED ON MODEL AW139

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED


RBW6205G08931-3G

ITEM	P/N	DESCRIPTION	QTY.
1	RBW6205G10151-3G	PUSHER	1
2	RBW6205G10251-3G	THREADED ROD	1
3	RBW6205G10351-3G	GUIDE	1
4	RBW6205G10451-3G	THREADED ROD	1
5	RBW6205G10551-3G	HAMMER	1
6	RBW6205G10651-3G	STOP	1

6.00

6.00

A vertical line with a dimension line at the bottom indicating a width of .063.

		<h1>RED BARN MACHINE</h1>	
TITLE <h2>M/R SCISSORS COUPLING R&R</h2>			
DWG NO. <h3>RBW6205G08931-3G-7</h3>		REV	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XX ± .005 .X ± .01 X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°		DRAWN BY: CLOUGH APPROVED <i>D Weel</i> HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL AW139	
SCALE 1:2	DATE 4/25/2012	SHEET 4 OF 4	